



### Attestation of Conformity

Altaeco S.p.A. via G. Pascoli 4/6 - 20010 Vittuone (MI)

---

**Factory address:** S.S. 143 - Cerrione (BI) - Italy  
**Year in which the CE marking was affixed:** 2005  
**Reference standard:** EN 14411

**Product classification:** Glazed ceramic tiles dust pressed for internal/external floorings and wall/ceiling finishes

**Collection name:** Vogue IN, CR, TT  
**Product reference:** Interni, Cristalli, Tactile  
**Product description:** all standard shapes except trims and Bisello  
**Group:** BI b (0,5% < E <= 3%)

### CHARACTERISTICS

**Reaction to fire:** A1

**Flexural tensile strength:**  
breaking strength > 1000 N (for tiles with thickness <= 7,5 mm)  
breaking strength > 1700 N (for tiles with thickness > 7,5 mm)  
modulus of rupture 40 N/mm<sup>2</sup>

**Resistance to thermal shocks:** passed

**Bond strength/adhesion:**  
declared value NPD

**Slipperiness:**  
declared value NPD

**Skid resistance:**  
declared value NPD

**Durability - freeze / thaw resistance:** passed

**Release of dangerous substances:**  
release of Cadmium NPD mg/dm<sup>2</sup>  
release of Lead NPD mg/dm<sup>2</sup>