



### Attestation of Conformity

Altaeco S.p.A. via G. Pascoli 4/6 - 20010 Vittuone (MI)

**Factory address:** S.S. 143 - Cerrione (BI) - Italy  
**Year in which the CE marking was affixed:** 2005  
**Reference standard:** EN 14411  
**Product classification:** Glazed ceramic tiles dust pressed for internal/external floorings  
**Collection name:** Vogue IG  
**Product reference:** Grip40  
**Product description:** Size 40x40 cm  
**Group:** BI b (0,5% < E <= 3%)

### CHARACTERISTICS

**Reaction to fire:** A1

**Flexural tensile strength:**  
breaking strength > 1000 N (for tiles with thickness <= 7,5 mm)  
breaking strength > 1700 N (for tiles with thickness > 7,5 mm)  
modulus of rupture > 40 N/mm<sup>2</sup>

**Resistance to thermal shocks:** passed

**Bond strength/adhesion:**  
declared value NPD

**Slipperiness:**  
declared value B (A+B) test method DIN 51097

**Skid resistance:**  
declared value NPD

**Durability - freeze / thaw resistance:** passed

**Release of dangerous substances:**  
release of Cadmium NPD mg/dm<sup>2</sup>  
release of Lead NPD mg/dm<sup>2</sup>